

Product Use: NAIL GEL

Product #: G1510

Material Safety Data Sheet G1510 – BUILDER – BLUE

Page 1

11/29/2000

Section $oldsymbol{1}$ – Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Builder - Blue

by:

MSDS Approval

Family: UV GELS GEL Type: Builder Gel

Manufacturer: CNC International BV

Burgemeesterlaan 2 – 6002 EG Weert - Netherlands
Emergency Phone Numbers:+31-495-547409
Information Contacts: +31-495-548213

Section 2 - Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure	Limits	Carcinogen	%
				OSHA	ACGIH		
				TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Polyurethane	Exempt	N/E	Polyurethane Acrylate	N/E	N/E	Not Listed	90-95
Acrylate Oligomer			Oligomer				
Hydroxycyclohexyl	947-19-3	213-426-9	Hydroxycyclohexyl	N/E	N/E	Not Listed	1-5
phenyl ketone			phenyl ketone				
Acrylic acid	79-10-7	201-177-9	N/E	N/E	2 ppm	Group 3/no/no	1-5
Benzophenone	119-61-9	204-337-6	Benzophenone	N/E	N/E	Not Listed	0-1
D&C Violet #2	81-48-1	201-353-5	CI60725	N/E	N/E	Not Listed	0-1
FD&C Blue 1	3844-45-9	N/E	CI42090	N/E	N/E	Not Listed	0-1
N/E - None Established	N/DA - No Data Availa	ible					
N/R - Not Reviewed	N/A - Not Available						

Hazard Symbols: Xi **Risk Phrases:** R22, R34, R36/38, R43 **Safety Phrases:** S18, S24/25, S36/37, S38

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause eye irritation.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry No specific information available.

Eye No specific information available. Contains materials that are essentially nonirritating, but contact

may cause slight transient irritation.

Skin No specific information available. Contains materials that may cause moderate skin injury (reddening

and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since

irritation may not occur immediately, contact can go unnoticed.

Ingestion No specific information available. Contains materials that are considered to be practically nontoxic.

Inhalation No specific information available. Low volatility makes vapor inhalation unlikely. Aerosol can be

irritating.

Sub-Chronic Effects No specific information available. Limited tests showed no evidence of teratogenicity in animals. A

lifetime skin painting study with mice showed no evidence of carcinogenicity.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 4 - First Aid Measures

First Aid for Eye Flush eyes with water for 15 minutes, including under eyelids. If irritation continues, seek medical

attention.

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

First Aid for Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing

has stopped, administer artificial respiration and seek medical attention.



Material Safety Data Sheet G1510 – BUILDER – BLUE

First Aid for Ingestion If appreciable quantities are swallowed, seek medical attention.

Section 5 - Fire Fighting Measures

Flash Point(°F/°C)	Flammable Limit(vol%)	Auto-ignition Temperature(vol%)
> 212°F/100°C Setaflash	No Data	No Data

Method:

Extinguishing Media: Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

Fire Fighting Remove all ignition sources. Wear self-contained breathing apparatus and complete personal Instructions:

protective equipment when entering confined areas where potential for exposure to vapors or

products of combustion exists.

Unusual Hazards: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can

result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a

stream of water to control fires since frothing can occur.

Section 6 - Accidental Release Measures

Spill or Release Procedures -

Spontaneous polymerization can occur. Eliminate ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detregent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

Section 7 - Handling and Storage

Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Handling

Avoid prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather

goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing

thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should

not be used to clean skin because of increased penetration potential.

Storage Store in a cool place, away from heat and light. Store at temperatures below 100 ° F.

Explosion Hazard High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can

result in explosions and the violent rupture of storage vessels or containers.

Section 8 - Exposure Controls / Personal Protective Equipment

Local exhaust recommended to control exposure which may result from operations generating **Engineering Controls**

aerosols and hot operations generating vapors.

Personal Protective Equipment

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended General

> that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such

as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection Chemical splash goggles.

Impervious gloves (Neoprene). Skin Protection

A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may Respiratory Protection

be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR

Revised Date: 11/08/2004

Page 2



Material Safety Data Sheet G1510 – BUILDER – BLUE

Page 3

1910.134 or European Standard EN 149.

Section 9 - Physical and Chemical Properties

Appearance Blue, mobile l		or & Odor Threshold racteristic acrylate odor	PH NA	Specific (H2O=1)	•	Viscosity N/DA	% Volatile By Volume: < 0.5	
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficien Log Po/w	Vapor Pressure		Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	(mm Hg) @ 20 °	C:< 0.01	No Data	No Data	No Data	Insoluble

Flash Point(°F/°C)	Flammable Limit(vol%)	Auto-ignition Temperature(vol%)
> 212°F/100°C Setaflash	No Data	No Data

Section 10 - Stability and Reactivity

Stability Incompatibility (Materials to Avoid):

Normally Stable Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron

rust and string bases.

Hazardous Decomposition Products: Hazardous Polymerization:

Fumes produced when heated to decomposition may include:
carbon monoxide, carbon dioxide.

May occur -- Uncontrolled polymerization may cause
rapid evolution of heat and increased pressure that could
result in violent rupture of sealed storage vessels or

containers.

Conditions to Avoid:

Storage > 100 ° F, exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.

Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
No information available	No information available	No information available	No information available	No information
				available
Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers.				
Further hazardous properties	cannot be excluded. The produ	uct should be handled with care	e when dealing with chemicals	

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	N/DA	N/DA

Section 12 - Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil

Section 13 - Disposable Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the genrators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations.

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.



Material Safety Data Sheet G1510 - BUILDER - BLUE

Page 4

Section 14 - Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point > 100°C

Section 15 - Regulatory Information

US Federal Regulations

US Federal Regulations	The state of the s
Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U. S.
	Clean Air Act:
	• Benzophenone, CAS# 119-61-9 (SOCMI)
	• Acrylic Acid, CAS# 79-10-7 (HAP).
	This product contains no ODS's
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the U.S. Clean Water Act Priority
	Pollutant List.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food additive.
Occupational Safety and Health	This product is considered to be a hazardous chemical under the OSHA Hazard
Act	Communication Standard. Its hazards are:
	• Immediate (acute) health hazard
	Delayed (chronic) health hazard
	Reactive hazard
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261).
SARA Title III: Section 302	This product contains no chemicals regulated under Sec. 302 as extremely hazardous
	substances.
SARA Title III: Section 304	This product contains the following chemicals regulated under Section 304 as extremely
	hazardous chemical for emergency release notification (" CERCLA" List):
	• Acrylic Acid, CAS# 79-10-7, RQ(lbs): 5000.
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard
	and is regulated under Section 311-312 (40 CFR 370). Its hazards are:
	• Immediate (acute) health hazard
	Delayed (chronic) health hazard
	Reactive hazard
SARA Title III: Section 313:	This product contains the following chemicals subject to the reporting requirements of
	Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986
	and 40 CFR Part 372:
	• Acrylic Acid, CAS# 79-10-7.
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with
12 c. 1 2 colon o(o). In tolkory.	TSCA premanufacture notification requirements.



Material Safety Data Sheet G1510 - BUILDER - BLUE

Page 5

TSCA Significant New Use Rule: None of the chemicals listed have a SNUR under TSCA.

State Regulations


CA Right-to-Know Law:	Acrylic Acid CAS #79-10-7.
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Acrylic Acid CAS #79-10-7.
NJ Right-to-Know Law:	Acrylic Acid CAS #79-10-7.
PA Right-to-Know Law:	Acrylic Acid CAS #79-10-7.
FL Right-to-Know Law:	Acrylic Acid CAS #79-10-7.
MN Right-to-Know Law	Benzophenone CAS #119-61-9

International Regulations

CDSL: Canadian Inventory Benzophenone CAS #119-61-9 is on the DSL List. WHMIS = n/da	
(on Canadian Transitional List) Acrylic Acid CAS #79-10-7 is on the DSL List. WHMIS = B2, E, D1A, I	F
d-Camphoroquinone CAS #2767-84-2 is not on the DSL list. WHMIS = 1	n/da
EINECS: European Inventory: Builder Blue	
 HAZARD SYMBOLS: Xi: Irritant RISK PHRASES: R22: Harmful if swallowed, R34: May cause by Irritating to eyes and skin SAFETY PHRASES: S18: Handle and open container with care, contact with skin and eyes, S36/37: Wear suitable protective clotted significant ventilation, wear suitable respiratory 	S24/25: avoid thing and gloves,

Section 16 - Other Information

Hazard Rating System (Pictograms)



Approval Date: 11/08/2004

Revised Sections since Last Version:	Overall format update and section 2 % contents update.
--------------------------------------	--

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.