Material Safety Data Sheet A4045 – PLATINUM POWDER DARK PINK Page 1

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Platiunum Powder Dark Pink Product Name:

07/15/20 MSDS Initial Approval Date: 03 MSDS Prepared by: BSQ

Safety Phrases: S18, S22, S24/25, S38

Chemical Name: N/A

Family: ACRYLIC POLYMER

Product Use: NAIL POLYMER

Product #: A4045

Manufacturer: CNC International BV Burgemeesterlaan 2 - 6002 EG Weert - Netherlands Emergency Phone Numbers:+31-495-547409 Information Contacts:+31-495-548213

Section 2 - Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure	Limits	Carcinogen	%
				OSHA TWA/STEL	ACGIH TWA/STEL	IARC/NTP/OSHA	
Poly (ethyl methacrylate)	9003-42-3	N/E	Polyethylmethacrylate	N/E	N/E	Not Listed	95-99
D&C Red #7	5281-04-9	29092-56-6	CI 15850	N/E	N/E	Not listed	0-1
Dibenzoyl Peroxide	94-36-0	202-327-6	Benzoyl peroxide	5 mg/m3	5 mg/m3	3/no/no	0-1
N/E - None Established N/R - Not Reviewed	N/DA - No Data Ava N/A - Not Applicable						

Hazard Symbols: Xi

Risk Phrases: R36/37/38 This product is not considered hazardous by OSHA Hazard Communication Standard.

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May cause allergic skin reaction. .
- May cause eye irritation.
- Dust may cause irritation of the nose, throat, and lungs.
- This product may contain particulate, not otherwise classified (Nuisance Dust)

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Eyes or skin (No absorption); inhalation of dust.
Eye	Higher concentration can irritate eyes. May cause eye irritation or damage.
Skin	Repeated or prolonged exposure may cause allergic skin rashes.
Ingestion	Higher concentration can irritate respiratory system.
Inhalation	Possible temporary discomfort due to inhalation of dust concentration above the permissible exposure limit. Dust may cause irritation of the nose, throat, and lungs.
Sub-Chronic Effects	 For Polymer: OSHA classifies this material as Particulates, Not Otherwise Classified. Eyes, skin and Respiratory tract may be irritated by gross overexposure to Particulates, Not Otherwise Classified, no matter how they are generated. Avoid inhalation of dust. Keep dust out of eyes to prevent possible irritation. For decomposition product: Methyl Methacrylate Monomer; Liquid or high vapor concentration can irritate eyes, respiratory system and cause skin rashes. Prolonged exposure can lead to headaches, nausea, staggering gait, confusion, drowsiness and unconsciousness. Repeated and prolonged over exposure may cause permanent brain and nervous system damage, allergic skin rashes, eye corrosion and permanent injury, as well as changes in liver and kidney function or damage. For Benzoyl Peroxide: repeated or prolonged contact may cause skin sensitization.
NOTE: Refer to Section 1	1, Toxicological Information for Details

Section 4 - First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash with soap and water. Get medical help if discomfort persists.
First Aid for Inhalation	Remove to fresh air. Get medical help if discomfort persists.

Material Safety Data Sheet A4045 – PLATINUM POWDER DARK PINK Page 2

First Aid for Ingestion Rinse mouth out w

Rinse mouth out with water. Call doctor if amount was large.

Section 5 - Fire Fighting Measures						
Flash Point(°F	/	Flammable Limit(vol%)	Auto-ignition Temperature(vol%)			
TAG Closed: 580	°F/304°C	N/A	N/E			
Method: Extinguishing Media:	Water, carbo	on dioxide, dry chemical.				
Fire FightingAvoid extingInstructions:air, producing			uds. Water streams can disperse dust into hazard. Fire-fighters should wear self -			
Unusual Hazards:	•	t is combustible, explosive limits of the y those of coal dust.	e polymer particles suspended in air are			
Section 6 - Accident	al Release M	easures				
Spill or Release Procedures						
Section 7 - Handling	g and Storage	5				
Handling	Observe precautions found on the label. Wash face and hands thoroughly with soap and was after handling and before eating, drinking or smoking. Avoid prolonged or repeated contact with skin. Avoid contamination. Use only with adequate ventilation.					
Storage	after each u		ame and direct sunlight. Close container ransferring. Use explosion-proof equipment terials.			
Explosion Hazard	•	t is combustible, explosive limits of the y those of coal dust.	e polymer particles suspended in air are			
Section 8 - Exposure	e Controls / I	Personal Protective Equipment				
polishers . Hi		ical exhaust at processing equipment, in igh temperature processing equipment sh ment.Provide ventilation if necessary to nits.	hould be well ventilated. Use explosion-			
Personal Protective Equ						
General	Dust collect	ore are recommanded for handling now	for in bulk			

General	Dust collectors are recommended for handling powder in bulk.			
Eye/Face Protection Use safety glasses and have eye flushing equipment immediately available.				
Skin Protection	Minimize contamination by following good industrial practice. Wearing nitrile, neoprene, pvd			
	latex ot other impermeable gloves is recommended.			
Respiratory Protection	Avoid breathing dust and mist. Use dust mask.			

Section 9 - Physical and Chemical Properties

Appearance Odor & Odor		& Odor 7	Threshold	reshold PH Specific Grav		ravity	Viscosity	%	Volatile		
Fine, pink po	wder	Faint odor in bulk.		n bulk.	N/A	N/A		N/A	-	N/A	
Boiling Point/ Freezing Point	8 1		Partitio	nol/Water ning Coefficient Log Po/w	Vapor Pressure	1		Evaporation Rate	Ignition	Solubility In Water (20°C)	
N/A	N/A	Ą		N/A	N/A	N/A	A	N/A	N/A	insoluble	
Flash Point(°F/°C)			Flammable Limit(vol%)			Auto-ignition	n Temperatı	ıre(vol%)			
TAG Closed: 580°F/304°C					N/A				N/E		

Section 10 - Stability and Reactivity

Stability:

Incompatibility (Materials to Avoid):

CREATION PROFESSIONAL Material Safety Data Sheet A4045 – PLATINUM POWDER DARK PINK Page 3

Stable

Hazardous Decomposition Products:

methacrylate monomers

Conditions to Avoid:

Heating above 240 deg C, 464 deg F

Section 11 - Toxicological Information

	0					
Acute Oral Toxicity Acute Dermal To		icity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye	
LD50 Oral (Rat) : LD50 Dermal (H		obit):	LC50 Inhalation (Rat) : >12,500 to	mild	mild	
7990mg/kg	35,500 mg/kg		16,500 ppm for 0.5 hours			
Since this product contains a very low concentration of active components, the primary toxicological information is derived from the copolymers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.						
Sensitizati	on		Mutagenicity	Sub-chronic	Foxicity	
No information available		No information available	No information available			

RTECS#: n/da

Section 12 - Ecological Information

Ecotoxicological Information

Acute Toxicity	Acute Toxicity	Acute Toxicity	Bioconcentration	Toxicity to
to Fish	to Invertebrates	to Algae		Sewage Bacteria
Flathead minnows and goldfish TLm24 : 420 ppm Bluegills TLm24 : 368 ppm	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA				
Chemical Oxygen Demand	N/DA				

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 - Disposable Considerations

May be disposed of in a landfill or incinerated. Follow Federal, State and Local regulations for disposal. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 - Transport Information

DOT (49 CFR 172)		
Proper Shipping Name:	Non-Regulated Material	
Identification Number:	N/A	
Marine Pollutant:	No	
Special Provisions:	N/A	
Emergency Response Guidebook (ERG) #:	N/A	
IATA (DGR):		
Proper Shipping Name:	Non-Regulated Material	
Class or Division:	N/A	
UN or ID Number:	N/A	
Packaging Instructions:		
Emergency Response Guidance (ICAO)#:		
IMO (IMDG):		
Proper Shipping Name:	Non-Regulated Material	
Class or Division:	N/A	
UN or ID Number:	N/A	
Special Provisions & Stowage/Segregation:	None	
Emergency Schedule (EmS)#:		
Other Information:	Flash point > 100°C	

Section 15 - Regulatory Information


Strong oxidizing agents Hazardous Polymerization: will not occur NAIL CREATION PEROFFEESISTIONAL


Material Safety Data Sheet A4045 – PLATINUM POWDER DARK PINK Page 4

US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP's) or ozone dipleting substances (ODS's), as defined by the U. S. Clean Air Act: NONE
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U.S. Clean Water Act Priority Pollutant List: • NONE
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/ or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is not considered a hazardous chemical under the OSHA Hazard Communication Standard.
RCRA	This product contains no chemicals considered to be hazardous waste under RCRA (40 CFR 261).
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Sec. 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product does not contain hazardous substances under the OSHA Hazard Communication Standard, and is not regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	 This product contains the following chemicals outlined in SARA Title III: Section 313: Benzoyl Peroxide CAS #94-36-0.
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals listed have a SNUR under TSCA.
State Regulations	
CA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
NJ Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
PA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
FL Right-to-Know Law: MN Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0 Benzoyl Peroxide CAS #94-36-0
	Belizoyi Peroxide CAS #94-50-0
International Regulations	
CDSL: Canadian Inventory	Polymethyl methacrylate CAS# 9011-14-7 is on the DSL List. WHMIS = n/da
(on Canadian Transitional List)	Benzoyl Peroxide CAS #94-36-0 is on the DSL list. WHMIS = C, D2B, B4
EINECS: European Inventory:	Platiunum Powder Dark Pink
	HAZARD SYMBOLS: Xi: Irritant
	• RISK PHRASES: R36/37/38: Irritating to eyes, respiratory system and skin
	• SAFETY PHRASES: S18: Handle and open container with care, S22: do not
	breath dust, S24/25: avoid contact with skin and eyes, S38: in case of
	insufficient ventilation, wear suitable respiratory equipment.
	insufficient ventilation, wear suitable respiratory equipment.

Material Safety Data Sheet A4045 – PLATINUM POWDER DARK PINK Page 5

Section 16 - Other Information





The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.