Material Safety Data Sheet A4075–PLATIUNUM POWDER EXTRA WHITE Page 1

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: PLATINUM POWDER EXTRA WHITE

MSDS Intitial Approval 07/15/20 Date: 03 MSDS Prepared by: BSQ

Chemical Name: N/A

Family: ACRYLIC POLYMER

Product Use: NAIL POLYMER

Product #: A4075

Manufacturer: CNC International BV Burgemeesterlaan 2 – 6002 EG Weert - Netherlands **Emergency Phone Numbers:**+31-495-547409 **Information Contacts:**+31-495-548213

Section 2 - Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
				TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Poly (ethyl methacrylate)	9003-42-3	N/E	Polyethylmethacrylate	N/E	N/E	Not Listed	95-99
Titanium Dioxide	13463-67-7	236-675-5	Titanium dioxide/CI77891	15 mg/m3	10 mg/m3	Group 3/no/no	0-1
Dibenzoyl Peroxide	94-36-0	202-327-6	Benzoyl peroxide	5 mg/m3	5 mg/m3	3/no/no	0-1
N/E - None Established N/R - Not Reviewed	N/DA - No Data Ava N/A - Not Applicable						

Hazard Symbols: Xi **Risk Phrases:** R36/37/38 **Safety Phrases:** S18, S22, S24/25, S38 This product is not considered hazardous by OSHA Hazard Communication Standard.

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May cause allergic skin reaction.
- May cause eye irritation.
- Dust may cause irritation of the nose, throat, and lungs.
- This product may contain particulate, not otherwise classified (Nuisance Dust)

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Eyes or skin (No absorption); inhalation of dust.				
Eye	Higher concentration can irritate eyes. May cause eye irritation or damage.				
Skin	Repeated or prolonged exposure may cause allergic skin rashes.				
Ingestion	Higher concentration can irritate respiratory system.				
Inhalation	Possible temporary discomfort due to inhalation of dust concentration above the permissible exposure limit. Dust may cause irritation of the nose, throat, and lungs.				
Sub-Chronic Effects	For Polymer: OSHA classifies this material as Particulates, Not Otherwise Classified. Eyes, skin and Respiratory tract may be irritated by gross overexposure to Particulates, Not Otherwise Classified, no matter how they are generated. Avoid inhalation of dust. Keep dust out of eyes to prevent possible irritation.				
	For decomposition product: Methyl Methacrylate Monomer; Liquid or high vapor concentration can irritate eyes, respiratory system and cause skin rashes. Prolonged exposure can lead to headaches, nausea, staggering gait, confusion, drowsiness and unconsciousness. Repeated and prolonged over exposure may cause permanent brain and nervous system damage, allergic skin rashes, eye corrosion and permanent injury, as well as changes in liver and kidney function or damage. For Benzoyl Peroxide: repeated or prolonged contact may cause skin sensitization.				
NOTE: Refer to Section	NOTE: Refer to Section 11, Toxicological Information for Details				

Section 4 - First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash with soap and water. Get medical help if discomfort persists.
First Aid for Inhalation	Remove to fresh air. Get medical help if discomfort persists.

PROFESSIONAL Material Safety Data Sheet A4075–PLATIUNUM POWDER EXTRA WHITE Page 2

First Aid for Ingestion Rinse mouth out with water. Call doctor if amount was large.

Flash Point(°F		Flammable Limit(vol%)	Auto-ignition Temperature(vol%)	
TAG Closed: 580°	F/304°C	N/A	N/E	
Method: Extinguishing Media:	Water, carbo	on dioxide, dry chemical.		
Fire Fighting Instructions:	air, producir		ouds. Water streams can disperse dust into hazard. Fire-fighters should wear self -	
Unusual Hazards:	•	t is combustible, explosive limits of th y those of coal dust.	e polymer particles suspended in air are	
Section 6 - Accident	al Release M	leasures		
Spill or Release Procedures	Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills.			
Section 7 - Handling	g and Storag	9		
Handling	after handlir	Observe precautions found on the label. Wash face and hands thoroughly with soap and wate after handling and before eating, drinking or smoking. Avoid prolonged or repeated contact with skin. Avoid contamination. Use only with adequate ventilation.		
Storage	after each u		lame and direct sunlight. Close container transferring. Use explosion-proof equipment aterials.	
Explosion Hazard		t is combustible, explosive limits of th y those of coal dust.	e polymer particles suspended in air are	
Section 8 - Exposur	e Controls / 1	Personal Protective Equipment		
Engineering Controls	polishers . H	nent.Provide ventilation if necessary to	ncluding buffers, sanders, grinders and hould be well ventilated. Use explosion- control exposure levels below airborne	

Personal Protective Equipment

General	Dust collectors are recommended for handling powder in bulk.	
Eye/ Face Protection Use safety glasses and have eye flushing equipment immediately available.		
Skin Protection	Minimize contamination by following good industrial practice. Wearing nitrile, neoprene, pvc,	
	latex ot other impermeable gloves is recommended.	
Respiratory Protection	Avoid breathing dust and mist. Use dust mask.	

Section 9 - Physical and Chemical Properties

Appearance	e	Odor &	Odor Threshold	$\mathbf{H}_{\mathbf{q}}$	Speci	fic Gravity	Viscosity	% Volatile
Fine, white pov	vder	Faint	odor in bulk.	N/A		N/A	N/A	N/A
Boiling Point/ Freezing Point	Decomposit Temperatu		Octanol/Water artitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A		N/A	N/A	N/A	N/A	N/A	insoluble
Flash Point(°F/°C)			Flammable Limit(vol%))	Auto-ignition Temperature(vol%)		
TAG Closed	1: 580°F/304°C		N/	A			N/E	

Material Safety Data Sheet A4075-PLATIUNUM POWDER EXTRA WHITE Page 3

Section 10 - Stability and Reactivity

Stability: Stable

Hazardous Decomposition Products: methacrylate monomers Conditions to Avoid: Heating above 240 deg C, 464 deg F Incompatibility (Materials to Avoid): Strong oxidizing agents

Hazardous Polymerization: will not occur

Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye	
LD50 Oral (Rat):	LD50 Dermal (Rabbit):	LC50 Inhalation (Rat): >12,500	mild	mild	
7990mg/kg	35,500 mg/kg	to 16,500 ppm for 0.5 hours			
Since this product contains a very low concentration of active components, the primary toxicological information is derived from the copolymers.					
Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.					

Sensitization	Mutagenicity	Sub-chronic Toxicity
No information available	No information available	No information available

RTECS#: n/da

Section 12 - Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
Flathead minnows and goldfish TLm24 : 420 ppm Bluegills TLm24 : 368 ppm	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 - Disposable Considerations

May be disposed of in a landfill or incinerated. Follow Federal, State and Local regulations for disposal. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 - Transport Information

DOT (49 CFR 172)		
Proper Shipping Name:	Non-Regulated Material	
Identification Number:	N/A	
Marine Pollutant:	No	
Special Provisions:	N/A	
Emergency Response Guidebook (ERG) #:	N/A	
IATA (DGR):		
Proper Shipping Name:	Non-Regulated Material	
Class or Division:	N/A	
UN or ID Number:	N/A	
Packaging Instructions:		
Emergency Response Guidance (ICAO)#:		
IMO (IMDG):		
Proper Shipping Name:	Non-Regulated Material	
Class or Division:	N/A	
UN or ID Number:	N/A	
Special Provisions & Stowage/Segregation:	None	
Emergency Schedule (EmS)#:		
Other Information:	Flash point > 100°C	
	-	

Section 15 - Regulatory Information

US Federal Regulations


Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP's) or ozone dipleting substances
	(ODS's), as defined by the U. S. Clean Air Act:

NAIL CREATION PEROFFEESELONAL

Material Safety Data Sheet A4075–PLATIUNUM POWDER EXTRA WHITE Page 4

NONE	
Clean Water Act: Priority Pollutant This product contains the following c	nemicals listed under the U.S. Clean Water Act Priority
Pollutant List:	lenneuis fisted under the C.S. Clean Water Fiel Fifthilty
NONE	
	by the FDA for use in food packaging and/or other
applications as an indirect food add	
Occupational Safety and Health Act This product is not considered a hazar	lous chemical under the OSHA Hazard Communication
Standard.	
RCRA This product contains no chemicals	considered to be hazardous waste under RCRA (40
CFR 261).	
SARA Title III: Section 302 (TPQ) This product contains no chemicals	regulated under Sec. 302 as extremely hazardous
substances.	
	regulated under Sec. 304 as extremely hazardous
chemicals for emergency release no	
	ous substances under the OSHA Hazard Communication
Standard, and is not regulated under S	
	emicals outlined in SARA Title III: Section 313:
Benzoyl Peroxide CAS #94-	
	on the TSCA inventory or otherwise complies with TSCA
premanufacture notification requirement	
TSCA Significant New Use Rule: None of the chemicals listed have a Sl	NUR under ISCA.
State Regulations	
CA Right-to-Know Law: Benzoyl Peroxide CAS #94-36-0	
California No Significant Risk Rule: NONE	
MA Right-to-Know Law: Titanium Dioxide CAS #13463-67-7,	
NJ Right-to-Know Law: Titanium Dioxide CAS #13463-67-7,	
PA Right-to-Know Law: Titanium Dioxide CAS #13463-67-7,	Benzoyl Peroxide CAS #94-36-0
FL Right-to-Know Law: Benzoyl Peroxide CAS #94-36-0	
MN Right-to-Know Law: Titanium Dioxide CAS #13463-67-7,	Benzoyl Peroxide CAS #94-36-0
International Regulations	
	-42-3 is on the DSL List. WHMIS = n/da
(on Canadian Transitional List) Titanium Dioxide CAS #13463-67	
	s on the DSL list. WHMIS = C, D2B, B4
EINECS: European Inventory: Platinum Powder Extra White	
HAZARD SYMBOLS: Xi	
RISK PHRASES: R36/37/	38: Irritating to eyes, respiratory system and skin
SAFETY PHRASES: S18	Handle and open container with care, S22: do not
	d contact with skin and eyes, S38: in case of
	ear suitable respiratory equipment.

Section 16 - Other Information



ACGIH PEL for nuisance dust: 10 mg/m³

NAIL CREATION PROFESSIONAL Material Safety Data Sheet A4075–PLATIUNUM POWDER EXTRA WHITE Page 5

Revised Sections since Last Version:

Section 2 % changed from <,> to range, headers changed, format update

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.